



GREEN PAPERMILL

APPLICATION:

- ▣ Medium duty wash down hose
- ▣ Developed for wash down applications in paper mills
- ▣ Performs well in a broad range of temperatures down to -40°F
- ▣ May also be manufactured with a tapered nozzle

TEMPERATURE RANGE:

- ▣ -40°F to +180°F
- ▣ -40°C to +82°C

BURST PRESSURE:

- ▣ Minimum 4:1

MATERIAL TUBE:

- ▣ Extruded, smooth black SBR Tube

REINFORCEMENTS:

- ▣ Multiple high-tensile textile braids

MATERIAL COVER:

- ▣ Green, proprietary SBR blend
- ▣ Superior abrasion resistance
- ▣ Excellent resistance to weather and ozone

BRANDING:

- ▣ White spiral mylar stripe: GOODALL • GREEN PAPERMILL • WATER 300 PSI
- ▣ Embossed stripe: N2644 • GREEN PAPERMILL • 300 PSI MAX WP • * • 10001 • REFER TO INDUSTRY RECOMMENDATIONS FOR PROPER CARE & MAINTENANCE

STANDARD LENGTHS:

- ▣ 250 feet, 76.2 meters

GREEN PAPERMILL

ID		OD		maximum working pressure		minimum bend radius		weight	
mm	inch	mm	inch	bar	psi	mm	inch	kg/m	lb./ft.
12.7	1/2	25.7	1.01	21	300	76.2	3.0	0.46	0.31
19.0	3/4	31.0	1.22	21	300	88.9	3.5	0.58	0.39
25.0	1	37.3	1.47	21	300	114.3	4.5	0.71	0.48
32.0	1 1/4	43.7	1.72	21	300	165.1	6.5	0.83	0.56
38.0	1 1/2	50.0	1.97	21	300	203.2	8.0	0.97	0.65
51.0	2	62.7	2.47	21	300	254.0	10.0	1.26	0.85

All data at 68° F / 20° C



All information contained on this datasheet is subject to change without prior notice. GOODALL MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Buyer/end-user is responsible for determining whether the Goodall product is fit for a particular purpose and suitable for buyer's/user's method of use or application. Failure to follow procedures for selection, installation, care, maintenance and storage of hoses may result in the hose's failure to perform properly and may result in damage to property and/or serious injury. Goodall or any of its affiliates or subsidiaries shall not be subject to and disclaims any obligations or liabilities (including but not limited to all consequential, incidental and contingent damages) arising from tort claims (including without limitation negligence and strict liability) or other theories of law.

