

CENTURY 2000

Anhydrous Ammonia Hose N2000

APPLICATION AND KEY POINTS:

- Low-permeation, anhydrous ammonia transfer hose
- Developed for use with nurse tanks
- Distinctly identified with a bold green stripe
- · Branded with removal date
- Prorated 6-year warranty for agricultural applications only, when coupled by an approved distributor

TEMPERATURE RANGE:

-40°F to +180°F

BURST PRESSURE:

Minimum 5:1

MATERIAL TUBE:

- Smooth, seamless extruded EPDM
- High heat resistance
- Low permeation

REINFORCEMENTS:

· Multiple high-tensile textile braids

MATERIAL COVER:

- Black EPDM
- Abrasion, weather, and ozone-resistant
- Pin-pricked to assist the resistance of cover blisters and promote better dissipation of the anhydrous ammonia

BRANDING:

- Green longitudinal mylar stripe: GOODALL® N2000 CENTURY 2000 • ANHYDROUS AMMONIA 350 PSI
- Embossed stripe: N2000 ANHYDROUS AMMONIA
 350 PSI MAX W.P. * FOR AG. SVC. REMOVE HOSE
 BEFORE ** REFER TO INDUSTRY RECOMMENDATIONS
 INCL RMA/IP-11-2 FOR CARE 10001 *** •

STANDARD LENGTHS:

100 feet

TECHNICAL SPECIFICATIONS				
ID (in)	OD (in)	Max WP (psi)	Min BR (in)	Weight (lb/ft)
3/8	0.90	350	2.5	0.33
1/2	1.00	350	3.0	0.35
3/4	1.25	350	4.0	0.46
1	1.52	350	5.0	0.54
1 1/4	1.75	350	5.5	0.67
1 1/2	2.05	350	7.5	0.88
2	2.66	350	11.0	1.31

LAYLINE

All data at 68° F



N2000 CENTURY 2000 • ANHYDROUS AMMONIA





All information contained on this datasheet is subject to change without prior notice. GOODALL MAKES NO WARRANTIES. EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Buyer/end-user is responsible for determining whether the Goodall product is fit for a particular purpose and suitable for buyer's/user's method of use or application. Failure to follow procedures for selection, installation, care, maintenance, and storage of hoses may result in the hose's failure to perform properly and may result in damage to property and/or serious injury. Goodall or any of its affiliates or subsidiaries shall not be subject to and disclaims any obligations or liabilities (including but not limited to all consequential, incidental, and contingent damages) arising from tort claims (including without limitation negligence and strict liability) or other theories of law.

^{*} Year of Manufacture

^{**} Year of Manufacture plus 6 years

^{***} Year-Month of Manufacture